



vscode



AI 모드

전체

짧은 동영상

이미지

동영상

쇼핑

뉴스

더보기 ▾

도구 ▾



Visual Studio Code

<https://code.visualstudio.com> ⋮

Visual Studio Code - The open source AI code editor | Your ...

Visual Studio Code redefines AI-powered coding with GitHub Copilot for building and debugging modern web and cloud applications. Visual Studio Code is free ...

Download

Use vscode.dev for quick edits online! GitHub, Azure Repos ...



Install VS Code on Windows

Visual Studio Code is available for Windows through a user ...



VS Code for the Web

To get started, go to <https://vscode.dev> in your browser. VS Code ...



Documentation

Your home for multi-agent development. Explore AI agents ...



1.120

`const diff = vscode.workspace.getTextDiff(originalDoc ...`




[visualstudio.com](#) 검색결과 더보기 »

Use the Agents window to build in an agent-first way. ✕


The open source AI code editor

Your home for multi-agent development

 **Download for Windows**

[Web](#), [Insiders edition](#), or [other platforms](#)

By using VS Code, you agree to its [license](#) and [privacy statement](#).



The screenshot displays the Visual Studio Code interface with a blue border. On the left, a code editor shows a file named 'MailList.tsx' with the following code:

```
1 import {
2   For,
3   Show,
4   createMemo,
5   createSignal,
6   onCleanup,
7   onMount,
8 } from "solid-js";
9 import { useMail } from "../mail";
10 import { Item } from "../Item";
11
12 const ROW = 56;
13 const PAGE = 24;
14
```

In the center, the 'REFACTOR MAILLIST COMPONENT' window is active, displaying the instruction: 'Extract each row in MailList.tsx into a standalone MailListItem component. Preserve selection state, keyboard navigation, and the existing virtualization behavior.' Below this, it shows a list of actions: 'Read MailList.tsx, useSelection.ts', 'Created MailListItem.tsx +62', and 'Edited MailList.tsx +18 -74'.

On the right, the 'SESSIONS' panel is visible, featuring a 'New Session' button and a list of sessions:

- Refactor MailList component (Thinking...)
- Wire MCP server for telem... (Editing mcp.config.ts)
- Add language server for .p... (Running tests in parser.test.ts)
- Refactor command palette... (+639 -323 - 2 hrs ago)

사용권 계약

계속하기 전에 다음의 중요 정보를 읽어보십시오.

다음 사용권 계약을 읽어보십시오, 설치를 계속하려면 이 계약에 동의해야 합니다.

이 라이선스는 Visual Studio 코드 제품에 적용됩니다. Visual Studio 코드의 소스 코드는 MIT 라이선스 계약 (<https://github.com/microsoft/vscode/blob/main/LICENSE.txt>) 아래 <https://github.com/Microsoft/vscode>에 나와 있습니다. 추가 라이선스 정보는 FAQ(<https://code.visualstudio.com/docs/supporting/faq>)에서 참조할 수 있습니다.

MICROSOFT 소프트웨어 라이선스 계약서

- 동의합니다(A)
 동의하지 않습니다(D)

다음(N)

취소

추가 작업 선택

수행할 추가 작업을 선택하십시오.



Visual Studio Code 설치 과정에 포함할 추가 작업을 선택한 후, "다음"을 클릭하십시오.

아이콘 추가:

바탕 화면에 바로가기 만들기(D)

기타:

"Code(으)로 열기" 작업을 Windows 탐색기 파일의 상황에 맞는 메뉴에 추가

"Code(으)로 열기" 작업을 Windows 탐색기 디렉터리의 상황에 맞는 메뉴에 추가

Code을(를) 지원되는 파일 형식에 대한 편집기로 등록합니다.

PATH에 추가(다시 시작한 후 사용 가능)

뒤로(B)

다음(N)

취소

설치 준비 완료

귀하의 컴퓨터에 Visual Studio Code을(를) 설치할 준비가 되었습니다.



설치를 계속하려면 "설치"를, 설정을 변경하거나 검토하려면 "뒤로"를 클릭하십시오.

추가 작업:

기타:

Code을(를) 지원하는 파일 형식에 대한 편집기로 등록합니다.
PATH에 추가(다시 시작한 후 사용 가능)

뒤로(B)

설치(I)

취소

Visual Studio Code 설치 마법사 완료

귀하의 컴퓨터에 Visual Studio Code이(가) 설치되었습니다, 응용프로그램은 설치된 아이콘을 선택하여 시작할 수 있습니다.

설치를 끝내려면 "종료"를 클릭하십시오.

Visual Studio Code 실행



종료(F)

File Edit Selection View Go Run ... Search Sign In

Welcome Release Notes: 1.120.0 X CHAT

Visual Studio Code 1.120

Show release notes after an update

Follow us on [LinkedIn](#), [X](#), [Bluesky](#) | [View online](#)

Release date: May 13, 2026

Welcome to the 1.120 release of Visual Studio Code. This release brings the Agents window to Stable, improves BYOK model visibility and control, and adds Markdown quality-of-life improvements and agent safety features. Here are the highlights for this release:

- [Agents window in Stable](#): Work in an agents-first way across all your projects with the new Agents window.
- [BYOK improvements](#): Track and optimize token usage and configure thinking effort for your BYOK models.
- [Markdown improvements](#): Review Markdown content instead of syntax with Markdown preview for diffs.
- [Command risk assessment](#): Assess the risk of terminal commands before they run.
- [Token optimization](#): Reduce context window usage by compressing large terminal output.

Happy Coding!

VS Code is rolling out gradually to all users. Use **Check for Updates** in VS Code to get the latest version immediately.

To try new features as soon as possible, [download the nightly Insiders build](#), which includes the latest updates as soon as they are available.

IN THIS UPDATE Agents

Agents
Orchestrate tasks across projects with the Agents window (Preview)

Build with Agent

AI responses may be inaccurate
[Generate Agent Instructions](#) to onboard AI onto your codebase.

Describe what to build

+ | Auto | ↕

Local | Default Approvals

File Edit Selection View Go Run ...

EXTENSIONS: MARKETPLACE

abcd agent

- ABCD Agent** 1
AI coding agent for ABCD Edu — ch...
ABCD Edu [Install](#)
- Codex – OpenAI's c...** 8.9M ★ 3.5
Codex is a coding agent that works ...
OpenAI [Install |](#)
- BLACKBOXAI #1 AI ...** 5.1M ★ 4
BLACKBOX AI is an AI coding assist...
BLACKBOXAI [Install](#)
- Blackbox Agent - ...** 2.6M ★ 4.5
Autonomous coding agent right in ...
BLACKBOXAI [Install](#)
- Continue - open-so...** 3M ★ 3.5
The leading open-source AI code a...
Continue [Install |](#)
- Agent** 590
lianglh [Install](#)
- abcDoc** 42
Convenient to add code documenta...
msbrm [Install](#)
- abcdef** 147
A mix of the Eva dark theme, Snazz...
jxne00 [Install](#)
- Augment: Coding ...** 753K ★ 3.5
Augment Code is the AI coding plat...
Augment Computing [Install |](#)
- CodeGPT: Chat & ...** 2.3M ★ 3.5

< ⊗ 0 ⚠ 0

What can I help with?

Runs locally in your workspace. Approval required for edits and shell commands.

- List the source files in this workspace
- Search for TODOs and summarize
- Read package.json and list scripts

Sign in with your ABCD account to start chatting.

[Sign in](#)

Opens portal.abcdedu.com in your browser. After authorizing, the token is stored locally and you'll be returned here automatically.

Ask ABCD. Type @ to attach a file, selection, symbol, or git diff...

Enter to send · @ to attach · build 2026-05-18T05:38:52.736Z [Ask permissions](#) [Send](#)

VS Code 익스텐션 연결

teacher@test.com 계정으로 ABCD Agent VS Code 익스텐션에 인증합니다. 인증을 진행하면 새 API 토큰이 발급되어 익스텐션에 자동으로 전달됩니다.

기기 이름

VS Code Extension

나중에 토큰 목록에서 이 이름으로 식별합니다.

콜백 대상

127.0.0.1:50381

취소

인증하고 VS Code 열기



EXPLORER



▼ **NO FOLDER OPENED**

You have not yet opened a folder.

Open Folder

Opening a folder will close all currently open editors. To keep them open, [add a folder](#) instead.



